




plafondtegels - koepels
dalles de plafond-coupoles




F10




F11





F12



F30
59,5 x 59,5 x 4 cm




F31
59,5 x 59,5 x 6,5 cm




F32
59,5 x 59,5 x 1 cm




F33
59,5 x 29,5 x 1 cm




F12



F11



B417
90,5 x 13,5 x 14 cm ↑
75 x 6 cm ↓



B408
22,5 x 40 x 13 cm



B404
19,5 x 31,5 x 11,5 cm



B403
19 x 19 x 10 cm



B402
9 x 22 x 7 cm



B401
11,5 x 15,5 x 7 cm



B409
30 x 35 x 17,5 cm





B413
16 x 22,5 x 8,5 cm



B414
10 x 22 x 7 cm



B410
19,5 x 50 x 16 cm



B403

B401




B410

SCHAPPEN & CONSOLES
ÉTAGÈRES ET CONSOLES

SIERSCHOUWEN
CHEMINÉES DÉCORATIVES



H100/C
20 x 87,5 x 17,5 cm




De sierschouwen zijn **enkel als decoratief element bedoeld** en mogen uitsluitend geplaatst worden in combinatie met een elektrisch vuurtje van max. 2 à 3kW.

Les cheminées sont **des éléments décoratifs**. Elles peuvent seulement être employées avec un feu électrique de max. 2 à 3kW.



(cm)	A	B	C	AA	BB
N403	43,0	70,5	10,0	26,5	55,0
N404	42,0	76,0	11,0	24,5	55,0
N503	69,0	112,5	11,0	51,5	94,5
N504	69,0	113,0	11,0	49,5	94,5

(cm)	F	G	H	FF	GG
N410	31,0	59,5	9,5	28,0	58,5
N510	55,0	98,5	18,0	53,0	96,0
N520	55,0	97,5	18,0	53,0	92,0



G50,G51 N503 + N520 N503 + N520 N503 + N510

Plaats de gloeilamp (max. 60W) op min. 10cm afstand van de opale bodem.

Installez l'ampoule (max. 60W) à 10cm minimum du fond opaque.